



Radial Access Diagnostic and Guiding Catheters

Advancing Radial Solutions

Cordis®



Diagnostic Catheters



INFINITI® DIAGNOSTIC CATHETER PORTFOLIO




With high density braiding for exceptional responsiveness, our family of dedicated and universal nylon catheters are designed to provide excellent pushability, kink resistance, and consistent lumen diameter.

SUPER TORQUE® PLUS DIAGNOSTIC CATHETER PORTFOLIO


Our polyurethane-constructed diagnostic catheters provide one-to-one torque control, kink resistance, and consistent lumen diameter in a portfolio of dedicated and universal shapes.

All shapes are 100 cm in length unless otherwise noted.


Radial-Specific Shapes

	INFINITI®		SUPER TORQUE® Plus	
	5F	6F	5.2F	6F
 RBL-TG™ (1 side hole)	555500T1	555600T1	599500T1	599600T1
RBL-TG™ (125 cm, 1 side hole)	555525T1	555625T1	599525T1	599625T1
 RBL-JK™ (2 side holes)	555500J2	555600J2	599500J2	599600J2
RBL-JK™ (125 cm, 2 side holes)	555525J2	555625J2	599525J2	599625J2
 RBL 5.0 (1 side hole)	555500R501	555600R501		599600R501
RBL 5.0 (125 cm, 1 side hole)	555525R501			599625R501
RBL 4.5 (1 side hole)	555500R451	555600R451		599600R451
RBL 4.5 (125 cm, 1 side hole)	555525R451	555625R451		
RBL 4.0 (1 side hole)	555500R401	555600R401		599600R401
RBL 4.0 (125 cm, 1 side hole)	555525R401	555625R401		
RBL 3.5 (1 side hole)	555500R351	555600R351		
RBL 3.5 (125 cm, 1 side hole)	555525R351	555625R351		


Multipurpose A (Cournand, open end)

	SUPER TORQUE® Plus	
	5.2F	6F
 MPA 1 (80 cm, no side holes)	533579	533633
MPA 1 (Cournand, no side holes)		533640
MPA 1 (no side holes)	SR1924	
MPA 1 (125 cm, no side holes)		533667


Multipurpose A Curve (open end)

	INFINITI®		SUPER TORQUE® Plus
	4F	5F	5.2F
 MPA 2 (I) SH (65 cm, 2 side holes)	538440	534540T	
MPA 2 (I) SH (80 cm, 2 side holes)	538449	534549T	
MPA 2 (I) SH (2 side holes)	538442		533556
MPA 2 (I) SH (125 cm, 2 side holes)	538444		

Multipurpose A Adult Curve (open end)

	INFINITI®		SUPER TORQUE® Plus	
	5F	6F	5.2F	6F
 MPA 2 SH (80 cm, 2 side holes)				533629
MPA 2 SH (2 side holes)	534542T	534642T	533582	533642
MPA 2 SH (125 cm, 2 side holes)	534544T			
MPA 2 (no side hole)			SR1924	


Multipurpose B (open end)

	INFINITI®		SUPER TORQUE® Plus
	5F	6F	6F
 MPB 2 (2 side holes)	534539T	534649T	533649
MPB 3 (6 side holes)			533634


Radial/Brachial (Tilon)

	INFINITI®	
	5F	6F
 RBMP	SRD6724	SRD5895


Judkins Left

	INFINITI®			SUPER TORQUE® Plus	
	4F	5F	6F	5.2F	6F
 JL 3.5	538418	534518T	534618T	533551	533618
JL 4	538420	534520T	534620T	533553	533620
JL 4.5	538417	534517T	534617T	533527	533627
JL 5	538422	534522T	534622T	533559	533622
JL 6	538424	534524T	534624T	533561	533624


Judkins Right

	INFINITI®			SUPER TORQUE® Plus	
	4F	5F	6F	5.2F	6F
 JR 3.5	538419	534519T	534619T	533550	533619
JR 4	538421	534521T	534621T	533552	533621
JR 4 (125 cm)			534615T	533565	
JR 4 Classic					533687
JR 4 Recessed Braid		534516T			533689
JR 4 MOD (modified)	538428	534528T	534628T	533528	533628
JR 4 ST (short tip)	538427	534527T	534627T		533626
JR 5	538423	534523T	534623T	533558	533623
JR 5 MOD			534629T		
JR 6	538425	534525T	534625T	533560	533625

Sones


	INFINITI®		SUPER TORQUE® Plus	
	4F	5F	5.2F	6F
 SON 1 SH (80 cm, 2 side holes)	538430			
SON 1 SH (80 cm, 4 side holes)		534530T		
SON 1 (4 side holes)				533630
SON 1.5 (4 side holes)		534564T		
SON 2 (4 side holes)			SR2360	533631
SON 3 (4 side holes)				533632

Ventricular Straight Pigtail

	INFINITI®			SUPER TORQUE® Plus	
	4F	5F	6F	5.2F	6F
 PIG 4SH (125 cm, 4 side holes)				SRD5287	
PIG 5SH (110 cm, 5 side holes)	538451V				
PIG 6SH (110 cm, 6 side holes)	538450S*	534550S	534650S	533533	533650S
PIG 8SH (110 cm, 8 side holes)	538450E*	534550E	534650E		533650E
PIG 12SH (50 cm, 12 side holes)					

* micro-loop

Ventricular Angled Pigtail (Van Tassel)

	INFINITI®			SUPER TORQUE® Plus	
	4F	5F	6F	5.2F	6F
 PIG 145° MOD 5SH (110 cm, modified, 5 side holes)	538457V				
PIG 145° 6SH (110 cm, 6 side holes)		534552S	534652S	533534A	533652S
PIG 145° ST 6SH (110 cm, short tip, 6 side holes)	538453S*	534553S	534653S		
PIG 155° 6SH (110 cm, 6 side holes)		534554S	534654S	533533A	533654S
PIG 155° MOD 6SH (110 cm, modified, 6 side holes)	538455S*				
PIG 155° 5SH (110 cm, 5 side holes)	538459V				
PIG 155° ST 6SH (110 cm, short tip, 6 side holes)		534555S*			

* micro-loop

Diagnostic Catheters

All shapes are 100 cm in length unless otherwise noted.




Barbeau

		INFINITI®	
		5F	
	BARBEAU 2 SH <i>(2 side holes)</i>	534578T	

El Gamal


		SUPER TORQUE® Plus	
		5.2F	
	EGB 1 <i>(2 side holes)</i>	533637	

Castillo Technique


		SUPER TORQUE® Plus	
		5.2F	6F
	CAS 1	535584	533684
	CAS 2 <i>(80 cm, 4 side holes)</i>		533682
	CAS 2	533585	533685
	CAS 3		533686

Amplatz Left

5 units per package

		INFINITI®			SUPER TORQUE® Plus
		4F	5F	6F	6F
	AL 1	538445	534545T	534645T	533645
	AL 2	538446	534546T	534646T	533646
	AL 3	538447	534547T	534647T	533647

Amplatz Right

		INFINITI®			SUPER TORQUE® Plus
		4F	5F	6F	6F
	AR MOD	538448	534548T	534648T	533648
	AR 1 MOD	538441	534541T	534641T	533641
	AR 2 MOD	538443	534543T	534643T	533643

INFINITI® Diagnostic Catheter Specifications

		Inner diameter	
		1.19 mm (0.047")	1.45 mm (0.057")
		5F	6F
Pressure limit (PSI)		1200	1200
Guidewire acceptance		0.038"	0.038"
Flow rate (ml/sec) at pressure limit (100 cm catheter)			
Selectives		21.3	35
Pigtail		19.8	32.6

SUPER TORQUE® Plus Diagnostic Catheter Specifications

		Inner diameter	
		1.19 mm (0.047")	1.45 mm (0.057")
		5.2F	6F
Pressure limit (PSI)		1200	1200
Guidewire acceptance		0.038"	0.038"
Flow rate (ml/sec) at pressure limit (100 cm catheter)			
Selectives		21.0	24.3
Pigtail		18.5	25.1

Guiding Catheters



ADROIT® GUIDING CATHETER PORTFOLIO


A comprehensive line of guiding catheters designed to provide space to work. The large inner diameter and lubricious lumen facilitate smooth delivery of interventional devices.

VISTA BRITE TIP® GUIDING CATHETER PORTFOLIO








With a hybrid braid design, VISTA BRITE TIP Guiding Catheters provide the support, torque control, and shape retention to facilitate interventions.

All shapes are 100 cm in length unless otherwise noted.


Multipurpose A 1 and B 1

	ADROIT®		VISTA BRITE TIP®		
	5F	6F	5F	6F	7F
 MPA 1	55827000	67227000		67027000	77827000
MPA 1 SH		67227100		67027100	778271 00
MPA 1 (55 cm)					77827055
MPA 1 (115 cm)					SM7462
MPA 1 (125 cm)					SM7477 SM7206
MPA 1 (125 cm, 2 side holes)		67227025			
MPA 1 LBT (long brite tip)			5562700L	6702700L	
MPA 2 (125 cm)					SM7394
MPB 1		67227200		67027200	
MPB 1 SH (2 side holes)					77827300


Radial Bilateral Shapes

	ADROIT®		VISTA BRITE TIP®	
	5F	6F	5F	6F
 RB (radiobrachial)		67217200	55617200	67017200
RB LBT (radiobrachial, long brite tip)			5561720L	
 BARBEAU	55817400	67217400	55617400	67017400
BARBEAU LBT (long brite tip)			556174-0L	SM7542
 RBL 4.0 (bilateral)		67271700		SM7717
 RBL 4.5 (bilateral)		67272900		
 RBL 5.0 (bilateral)		67271800		
 RRAD5 (right radial)	55832000			
RRAD6 (right radial)		67230000		
 RRAD6 XB (right radial, extra back-up)		67230100		


Internal Mammary

	ADROIT®		VISTA BRITE TIP®		
	5F	6F	5F	6F	7F
 IM (90 cm)		67219090		67019090	77819090
IM	55819000	67219000		67019000	77819000
IM LBT (long brite tip)			5561900L		
IM SH (2 side holes)		67219100		67019100	77819100
IM SH (90 cm, 2 side holes)					77819190
IM VB-1				67019200	


Hockey Stick

	ADROIT®		VISTA BRITE TIP®		
	5F	6F	5F	6F	7F
 H-STICK	55827800	67227800		67027800	77827800
H-STICK SH (2 side holes)		67227900		67027900	77827900
H-STICK (90 cm)				67027890	77827890
H-STICK (90 cm, short shaft)		67227890			
H-STICK SH (90 cm, 2 side holes)					77827990
H-STICK LBT (long brite tip)		6722780L	5562780L	6702780L	


Extra Back-Up Left

	ADROIT®		VISTA BRITE TIP®		
	5F	6F	5F	6F	7F
 XB 2		67246400			
XB 2.5		67246500		SM7465	
XB 2.75		67273000			
XB 3	55805200	67205200	SM7328	67005200	77805200
XB 3 (125 cm)					SM7395
XB 3 SH (2 side holes)		67205300		67005300	77805300
XB 3.25	55840000	67240000			
XB 3.5	55805400	67205400	55605400	67005400	77805400
XB 3.5 (90 cm)		67205490		67005490	
XB 3.5 (125 cm)		67205425			
XB 3.5 SH (2 side holes)		67205500		67005500	77805500
XB 4	55805600	67205600	55605600	67005600	77805600
XB 4 LBT (long brite tip)			5560560L		
XB 4 SH (2 side holes)		67205700		67005700	77805700
XB 4.5	55805800	67205800		67005800	77805800
XB 4.5 SH (2 side holes)		67205900		67005900	77805900


Extra Back-Up RCA

	ADROIT®		VISTA BRITE TIP®	
	5F	6F	6F	7F
 XBRCA	55812600	67212600	67012600	G778126
XBRCA SH (2 side holes)		67212700	67012700	

Extra Back-Up Contralateral

	ADROIT®		VISTA BRITE TIP®	
	5F	6F	5F	6F
 XBC 3 (circumflex)		67207000		67007000
XBC 3 SH (2 side holes)				67007100
XBC 3.5 (circumflex)	55807200	67207200		67007200
XBC 3.5 SH (circumflex, 2 side holes)		67207300		67007300
XBC 4	55807400	67207400		67007400
XBC 4 SH (2 side holes)		67207500		67007500
XBC 4.5		67207600		
XBC 4.5 SH (2 side holes)		67207700		67007700

Judkins Left

	ADROIT®		VISTA BRITE TIP®		
	5F	6F	5F	6F	7F
 JL 3	55800000	67200000		67000000	77800000
JL 3 ST (short tip)				SM7338	
JL 3 SH (2 side holes)					77800100
JL 3.5	55800200	67200200	55600200	67000200	77800200
JL 3.5 LBT (long brite tip)			5560020L		
JL 3.5 ST (short tip)		67201200		67001200	77801200
JL 3.5 SH (2 side holes)		67200300		67000300	77800300
JL 4 (90 cm)		67200490		67000490	77800490
JL 4	55800400	67200400	55600400	67000400	77800400
JL 4 LBT (long brite tip)		6720040L	5560040L	6700040L	
JL 4 ST (short tip)		67201400		67001400	77801400
JL 4 SH (2 side holes)		67200500		67000500	77800500
JL 4 ST SH (short tip, 2 side holes)					77801500
JL 4 (125 cm)		67204025		SM7435	
JL 4.5	55800600	67200600		67000600	77800600
JL 4.5 LBT (long brite tip)			SM7329		
JL 4.5 ST (short tip)				67001600	
JL 4.5 SH (2 side holes)					77800700
JL 5	55800800	67200800	55600800	67000800	77800800
JL 5 LBT (long brite tip)			5560080L		
JL 5 SH					77800900
JL 5 (125 cm)				SM7361	
JL 6		67201000		67001000	77801000



Judkins Right

	ADROIT®		VISTA BRITE TIP®		
	5F	6F	5F	6F	7F
 JR 3.5	55808000	67208000	55608000	67008000	77808000
JR 3.5 LBT (long brite tip)			5560800L		
JR 3.5 SH (2 side holes)		67208100		67008100	77808100
JR 4 (90 cm)		67208290		67008290	77808290
JR 4	5580200	67208200	55608200	67008200	77808200
JR 4 LBT (long brite tip)		6720820L	5560280L	6700820L	
JR 4 LBT (long brite tip, 110 cm)			SM7426		
JR 4 ST (short tip)		67209000		67009000	77809000
JR 4 SH (2 side holes)		67208300		67008300	77808300
JR 4 SH (2 side holes, 90 cm)					77808390
JR 4 (125 cm)		67208225	SM7739	SM7436	
JR 4.5 ST (short tip)					77809200
JR 5	55808400	67208400		67008400	77808400
JR 5 LBT (long brite tip)			SM7330		
JR 5 SH					77808500

Amplatz Left

	ADROIT®		VISTA BRITE TIP®		
	5F	6F	5F	6F	7F
 AL .75	55803400	67203400	SM7722	67003400	77803400
AL .75 (90 cm)				SM7719	
AL .75 SH (2 side holes)		67203500		67003500	G782AL75
AL .75 ST (short tip)				SM7764	
AL 1	55803600	67203600		67003600	77803600
AL 1 (90 cm)					77803690
AL 1 LBT (long brite tip)			SM7331		
AL 1 ST (short tip)		67204400	SM7503	67004400	77804400
AL 1 SH (2 side holes)		67203700		67003700	77803700
AL 1 ST SH (short tip, 2 side holes)					77804500
AL 1 (90° angle)					SM7603
AL 1.5	55803800	67203800		67003800	77803800
AL 1.5 SH (2 side holes)					77803900
AL 2	55804000	67204000	55604000	67004000	77804000
AL 2 (90 cm)					77804090
AL 2 LBT (long brite tip)		6720400L	5560400L	6700400L	
AL 2 ST (short tip)					77804800
AL 2 SH (2 side holes)		67204100		67004100	77804100
AL 3	55804200	67204200		67004200	77804200
AL 3 SH (2 side holes)					77804300

Amplatz Right

	ADROIT®		VISTA BRITE TIP®		
	5F	6F	5F	6F	7F
 AR 1	55811000	67211000		67011000	77811000
AR 1 LBT (long brite tip)			SM7333	6701100L	
AR 1 SH (2 side holes)		67211100		67011100	77811100
 AR 2	55811200	67211200	55611200	67011200	77811200
AR 2 LBT (long brite tip)		6721120L	5561120L	6701120L	
AR 2 SH (2 side holes)		67211300		67011300	77811300
AR-MOD				SM7398	

A LEGACY THAT INSPIRES THE FUTURE

For over half a century, Cordis has connected and collaborated across the industry with a mission to invent better ways to serve clinicians and their collaborators.

CORDIS.COM

CAUTION: Federal (USA) law restricts this device to sale by or on the order of a physician.

Important information: Prior to use, refer to the instructions for use supplied with this device for indications, contraindications, side effects, suggested procedure, warnings and precautions.

CORDIS, Cordis LOGO, RADIAL 360 LOGO, INFINITI, SUPER TORQUE PLUS, ADROIT, VISTA BRITE TIP, RBL-TG, and RBL-JK are trademarks of Cordis and may be registered in the US and/or in other countries.

©2022 Cordis. All Rights Reserved. 100614131. 09/2022